



Safety Data Sheet

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product Identifiers

Product Name	Brand	Product Number
RapidFix Universal/Pipe Wrap	RapidFix	4000250, 4000460
RapidFix Heat Wrap	RapidFix	4001250, 4001460
RapidFix Flexible Wrap	RapidFix	4002250, 4002460

Supplier

Notchka Pty Ltd
13 Colray Avenue,
Osborne Park, WA 6060

Phone 08 944 33 266

Email: admin@notchka.com

Emergency Information 24 hour Emergency Contact Poison Information Centre 13 11 26

Issue Date: Thursday, 4 May 2023

Supersedes Date: 27 April 2023

Product Use: Repair pipes, hoses, handles.

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

Physical Hazards	Not Classified
Health Hazards	Not Classified
Environmental Hazards	Not Classified

Label Elements

Hazard Statements Not Hazard Statements

Precautionary Statements May cause allergic skin reaction.
May cause allergic respiratory reaction.

SECTION 3: COMPOSITION

Ingredient		% by Wt	Classification
Fibrous glass	CAS 65997-17-3	58-62	Not Classified
Polyurethane	CAS 9009-54-5	38-42	Not Classified

SECTION 4: FIRST AID MEASURES

4.1 FIRST AID PROCEDURES

The following first aid recommendations are based on an assumption that appropriate personal and industrial hygiene practices are followed.

- Eye Contact:** Flush eyes with large amounts of water.
If signs/symptoms persist, seek medical attention.
- Skin Contact:** Remove contaminated clothing and shoes.
Immediately flush skin with large amounts of water.
Seek medical attention.
Wash contaminated clothing and clean shoes before reuse.
- Inhalation:** Remove person to fresh air.
If signs/symptoms develop, seek medical attention.
- Ingestion:** Do not induce vomiting unless instructed to do so by medical personnel.
Give victim two glasses of water.
Never give anything by mouth to an unconscious person.
Seek medical attention.

SECTION 5: FIRE FIGHTING MEASURES

5.1 FLAMMABLE PROPERTIES

Autoignition temperature	No Data Available
Flash Point	Not Applicable
Flammable Limits – LEL	Not Applicable
Flammable Limits – UEL	Not Applicable

5.2 EXTINGUISHING MEDIA

DO NOT USE WATER Use fire extinguishers with class B extinguishing agents (e.g., dry chemical, carbon dioxide).

5.3 PROTECTION OF FIRE FIGHTERS

Special Fire Fighting Procedures: Wear full protective equipment (Bunker Gear) and a self-contained breathing apparatus (SCBA).

Unusual Fire and Explosion Hazards: Not applicable.

Note: See STABILITY AND REACTIVITY (SECTION 10) for hazardous combustion and thermal decomposition information.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Accidental Release Measures: Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

- Ventilate the area with fresh air.
- Collect as much of the spilled material as possible.
- Clean up residue with an appropriate solvent selected by a qualified and authorized person.
- Read and follow safety precautions on the solvent label and MSDS.
- Collect the resulting residue containing solution.
- Place in a metal container approved for transportation by appropriate authorities.
- Cover container, but do not seal for 48 hours.
- Dispose of collected material as soon as possible.
- In the event of a release of this material, the user should determine if the release qualifies as reportable according to local, state, and federal regulations.

SECTION 7: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

Avoid eye contact.
 Avoid skin contact.
 Do not eat, drink or smoke when using this product.
 Wash exposed areas thoroughly with soap and water.
 For industrial or professional use only.

CONDITIONS FOR SAFE STORAGE

Store away from heat.
 Store out of direct sunlight.
 Keep container in well-ventilated area.
 Keep container tightly closed.
 Store between 4°C(40°F) and 27°C(80°F).

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

EXPOSURE STANDARDS

Ingredient	Authority	Type	Limit	Additional Information
Diphenylmethane diisocyanate	ACGIH	TWA	0.005 ppm	
Diphenylmethane diisocyanate	OSHA	CEIL	0.02 ppm	Table Z-1
FREE ISOCYANATES		TWA	0.005 ppm	
FREE ISOCYANATES		STEL	0.02 ppm	
Fibrous glass		TWA, as dust	10 mg/m3	

SOURCE OF EXPOSURE LIMIT DATA:

ACGIH: American Conference of Governmental Industrial Hygienists
 CMRG: Chemical Manufacturer Recommended Guideline
 OSHA: Occupational Safety and Health Administration
 AIHA: American Industrial Hygiene Association Workplace Environmental Exposure Level (WEEL)

8.1 ENGINEERING CONTROLS

Use in a well-ventilated area.

8.2 PERSONAL PROTECTIVE EQUIPMENT (PPE)

No specific PPE is required for normal use.

8.2.1 Eye/Face Protection

Avoid eye contact.

8.2.2 Skin Protection

Avoid skin contact.
 Select and use gloves and/or protective clothing to prevent skin contact based on the results of an exposure assessment.
 Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible materials.
 See Product Insert for additional precaution statements.

8.2.3 Respiratory Protection

Under normal use conditions, airborne exposures are not expected to be significant enough to require respiratory protection.

8.2.4 Prevention of Swallowing

Do not eat, drink or smoke when using this product.
 Wash exposed areas thoroughly with soap and water.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Odour,	slight odor.
Appearance,	White liquid resin impregnated on knit fiberglass;
General Physical Form:	Glassfibre Composite Product with liquid resin
Autoignition temperature	No Data Available
Flash Point	Not Applicable
Flammable Limits - LEL	Not Applicable
Flammable Limits - UEL	Not Applicable
Boiling point	Not Applicable
Density	Not Applicable
Vapor Density	Not Applicable
Vapor Pressure	Not Applicable
Specific Gravity	Not Applicable
pH	Not Applicable
Melting point	No Data Available
Solubility in Water Nil	

SECTION 10: STABILITY AND REACTIVITY

Stability: Stable.

Materials and Conditions to Avoid: Strong bases; Amines; Alcohols; Water

Additional Information: Product reacts with atmospheric moisture or water and may become unusable.

Hazardous Polymerization: Hazardous polymerization will not occur.

Hazardous Decomposition or By-Products Substance Condition

Carbon monoxide	Not Specified
Carbon dioxide	Not Specified
Nitride	Not Specified

SECTION 11: TOXICOLOGICAL INFORMATION

Please contact the address listed on the first page of the MSDS for Toxicological Information on this material and/or its components.

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION

Not determined.

CHEMICAL FATE INFORMATION

Not determined.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Method: Dispose of completely cured (or polymerized) wastes in a sanitary landfill.

As a disposal alternative, incinerate in an industrial or commercial facility in the presence of a combustible material.

EPA Hazardous Waste Number (RCRA): Not regulated

Since regulations vary, consult applicable regulations or authorities before disposal.

SECTION 14: TRANSPORT INFORMATION

Not Classified as Dangerous goods for transport.

ID Number(s):

Please contact the phone number listed on the first page of the MSDS for Transportation Information for this material.

SECTION 15: REGULATORY INFORMATION

Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No Immediate Hazard - No Delayed Hazard

SECTION 16: OTHER INFORMATION

No other information.

DISCLAIMER: The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued.

Notchka MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE.

User is responsible for determining whether the Notchka product is fit for a particular purpose and suitable for user's method of use or application.

Given the variety of factors that can affect the use and application of a Notchka product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Notchka product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.